

L Number	Hits	Search Text	DB	Time stamp
-	4705	display and rule and categor\$3 and user and computer and memory and security and application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:12
-	197	display and rule and categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:51
-	110	display and rule and categor\$3 and user and computer and memory and security adj application and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:55
-	2	display same rule same categor\$3 and user and computer and memory and security adj application and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:54
-	6	display same rule same categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:55
-	4	(display same rule same categor\$3 and user and computer and memory and security adj application) not (display same rule same categor\$3 and user and computer and memory and security adj application and menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:54
-	32	display same screen and rule same categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:56
-	1	713/201 and categor\$6 same rules same (lock\$3 protect\$3 secure\$3) same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:58
-	2	6158010.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:09
-	11	6158010.URPN.	USPAT	2004/07/23 12:59
-	684	713/164 713/166 713/167	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:09

-	1	(713/164 713/166 713/167) and security adj rules and security adj application and categor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:10
-	44	(713/164 713/166 713/167) and security and rules and application and categor\$3 and resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:11
-	7	6339826.URPN.	USPAT	2004/07/23 13:12
-	0	periodically near2 (compare) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compar\$3) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:06
-	0	periodically with (compar\$3) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:06
-	0	periodically with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:07
-	0	period with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:07
-	0	automatic\$5 with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	0	automatic\$5 with (compar\$3) with security near3 ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	0	period\$6 with (compar\$3) with security near3 ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08

-	0	period\$6 with (compar\$3) with security with ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	21	period\$6 with (compar\$3) with security with ((parameters value) permission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	2	US-5796403-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:22
-	2	US-5991791-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:23
-	1	US-0625457-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:24
-	2	US-6158010-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:23
-	2	US-6125457-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:24
-	2	US-6154844-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:25
-	16	compar\$4 with security with (setting permission parameters) and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:30
-	2	automatic\$6 with reset\$4 with security near2 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:31

-	22	reset\$4 with security near2 value not (automatic\$6 with reset\$4 with security near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:32
-	86	security adj setting with chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:33
-	0	security adj setting with chang\$3 with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:33
-	0	security adj setting with chang\$3 with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:34
-	0	security adj parameter with chang\$3 with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:35
-	0	security adj parameter with (chang\$3 compar\$4) with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:37
-	1	detect\$3 with security with (parameter setting value) with (compar\$4 chang\$3) with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:38
-	13	detect\$3 with security with (parameter setting value) with modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:54
-	8	detect\$3 with modif\$4 adj security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:46
-	94	discover\$3 with modif\$4 adj security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:48

-	0	discover\$3 with modif\$4 adj security not rhoads.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:47
-	0	reset\$3 with security adj rules	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:49
-	0	reset\$3 with security adj parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:49
-	9	reset\$3 with security adj polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:51
-	5	chang\$3 with security adj polic\$3 with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	12	real\$1time with polic\$3 with update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	1	detect\$3 with security with (permission) with modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:55
-	299	automatic\$ with user with permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:17
-	171	(automatic\$ with user with permission) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:17
-	5	automatic\$ with user with permission with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:33

-	2	user with (chang\$4 modif\$4) with setting with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:35
-	0	user with (chang\$4 modif\$4) with polci\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:36
-	0	user with (chang\$4 modif\$4) with polic\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
-	775	security adj setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:30
-	21	(security adj setting) with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:30
-	3	user with (chang\$4 modif\$4) with profil\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
-	0	periodically near2 (compare) with security with policy with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compare) with security with policy with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compare) with security with profile with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	2	chang\$3 with security adj profile with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:44

-	39	real\$1time with profil\$3 with update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:36
-	2	chang\$3 with security adj profil\$3 with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	0	assures with security with (setting attribute) with changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:36
-	1	assures with security with (setting attribute) with change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:37
-	13	antivirus and automatic\$4 with (incorrect change reset default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:39
-	182	713/164.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:40
-	164	713/164.ccls. and (chang\$3 modif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:48
-	9	security adj system same monitor\$ same user same (attribute permission value) same (reset default correct setup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:01
-	14	restores with (alter\$4 modif\$4) with setting with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:03
-	22	reset with (alter\$4 modif\$4) with setting with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:03

-	87	reset with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:05
-	20	(reset with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous)) and secur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:04
-	95	chang\$3 with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous) and ("713" "380")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
-	34	chang\$3 with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous) and (713/\$.ccls. 380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
-	1330	(reset\$3 restore\$3 defaulting) near5 (setting permission parameters) near5 (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:17
-	537	(reset\$3 restore\$3 defaulting) near2 (setting permission parameters) near2 (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:17
-	2578	(reset\$3 restore\$3 defaulting) with (setting permission parameters) with (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:18
-	26	(reset\$3 restore\$3 defaulting) near2 (setting permission parameters) near2 (default previous original) and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:24
-	4	monitor\$3 near2 security near3 variables	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:24
-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with chang\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31

-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with modfi\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with modfi\$4 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis same (detect\$3 find\$3 monitor\$3) with modfi\$4 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis same (detect\$3 find\$3 monitor\$3) with chang\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	25	system adj analysis same (detect\$3 find\$3 monitor\$3) with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	1	detect\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50
-	0	find\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:49
-	1	monitor\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50
-	19	detect\$3 near10 unauthorized near10 changes near10 access\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50